

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

भूदें के ल					
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/762,981	05/09/2001	Andrea Olgiati	B-4089PCT	1339	
75	90 04/02/2004		EXAMINER		
Ladas & Parry			MEONSKE, TONIA L		
5670 Wilshire Boulevard 21st Floor			ART UNIT	PAPER NUMBER	
Los Angeles, CA 90036			2183	$\circ$	
			DATE MAILED: 04/02/2004	8	

Please find below and/or attached an Office communication concerning this application or proceeding.

		A (C				
	Application No.	Applicant(s)				
	09/762,981	OLGIATI ET AL.				
Office Action Summary	Examiner	Art Unit				
	Tonia L Meonske	2183				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 04 Ja	nuary 2002.					
2a) This action is <b>FINAL</b> . 2b) ⊠ This	This action is <b>FINAL</b> . 2b)⊠ This action is non-final.					
,	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) Claim(s) 1-18 is/are pending in the application.  4a) Of the above claim(s) is/are withdrawn from consideration.  5) Claim(s) is/are allowed.  6) Claim(s) 1-18 is/are rejected.  7) Claim(s) is/are objected to.  8) Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
<ul> <li>9) ☐ The specification is objected to by the Examiner.</li> <li>10) ☐ The drawing(s) filed on 09 May 2001 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).</li> <li>11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.</li> </ul>						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) □ All b) □ Some * c) ☒ None of:  1. ☒ Certified copies of the priority documents have been received.  2. □ Certified copies of the priority documents have been received in Application No  3. □ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)  1) ☑ Notice of References Cited (PTO-892)  2) ☑ Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) ☑ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 6 and 7.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:					

Art Unit: 2183

## **DETAILED ACTION**

## **Priority**

1. Acknowledgment is made of applicant's claim for foreign priority based on an application filed in the European Patent Office on June 15, 1999. It is noted, however, that applicant has not filed a certified copy of the European application as required by 35 U.S.C. 119(b).

#### Oath/Declaration

2. The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

The oath or declaration is defective because:

Non-initialed and/or non-dated alterations have been made to the oath or declaration. See 37 CFR 1.52(c).

#### Specification

3. The title of the invention is not descriptive. A new title is required that is clearly indicative of the invention to which the claims are directed.

#### Drawings

4. The drawings filed on May 9, 2001 are acceptable subject to correction of the informalities indicated on the attached "Notice of Draftsperson's Patent Drawing Review," PTO-948. In order to avoid abandonment of this application, correction is required in reply to the Office action. The correction will not be held in abeyance.

## Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

Art Unit: 2183

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

- 6. Claims 1, 3-10, 12-15, 17, and 18 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Porter et al., US Patent 4,589,067, cited as a prior art reference in paper number 6, filed on May 9, 2001.
- 7. Referring to claim 1, Porter et al. have a computer system, comprising:
  - a first processor (Figure, host);
  - b. a second processor for use as a coprocessor to the first processor (Figure 1, element 10);
  - c. a coprocessor controller (Figure 1, element 20, column 3, lines 45-59);
  - d. a memory (Figure 1, the main memory of the host); and
  - e. a decoupling element (Figure 1, element 12);
  - through the decoupling element, such that the second processor consumes instructions derived from the first processor through the decoupling element (Figure 1, element 12), wherein the second processor receives data from and writes data to the memory (Figure 1, The second processor receives data from and writes data to the memory of the Host. Column 4, lines 35-53), and wherein the coprocessor controller controls the activity of the second processor to ensure execution of the coprocessor is correctly ordered with respect to loads from memory (column 3, lines 52-59, column 5, lines 30-39, column 47-column 7, line11), whereby the processing of instructions by the second processor is decoupled from the operation of the first processor (column 4, lines 31-34).

- Referring to claim 3, Porter et al. have taught a computer system as claimed in claim 1, as Art Unit: 2183 described above, and wherein the decoupling element is a state machine, wherein information to 8. provide instructions to the second processor is provided to the state machine by the first processor, and instructions are provided in an ordered sequence to the second processor by the state machine (Figure 1, element 12, column 4, line 54-column 5, line 7).
  - Referring to claim 4, Porter et al. have taught a computer system as claimed in claim 1, as described above, and wherein the decoupling element is a third processor, wherein information to provide instructions to the second processor is provided to the third processor by the first processor, and instructions are provided in an ordered sequence to the second processor by the third processor (Figure 1, element 12, column 4, line 54-column 5, line 7).
    - Referring to claim 5, Porter et al. have taught a computer system as claimed in claim 1, as described above, and wherein the second processor is configurable (column 2, lines 1-9).
    - Referring to claim 6, Porter et al. have taught a computer system as claimed in claim 5, as described above, and wherein the second processor is adapted to be configured in accordance with a configuration downloaded from the memory (column 2, lines 1-16).
      - Referring to claim 7, Porter et al. have taught a computer system as claimed in claim 1, as described above, and wherein the first processor is able to switch tasks during execution of instructions by the second processor (column 4, lines 31-33, Inherent in the uncoupled mode).
        - Referring to claim 8, Porter et al. have taught a computer system as claimed in claim 1, as described above, and further comprising a buffer memory from which the second processor loads data and to which the second processor stores data (Figure 1, element 14), wherein the buffer

Art Unit: 2183

memory is adapted to load data from the memory and store data to the memory (Figure 1, Element 14 is the buffer memory and the main memory of the host is the memory.).

- Referring to claim 9, Porter et al. have taught a computer system as claimed in claim 8, as described above, and wherein the memory is dynamic random access memory (column 2, lines 41-44), and the buffer memory is adapted to load data from, or store data to, the buffer memory in bursts (column 2, lines 26-44, column 4, lines 31-66).
  - Referring to claim 10, Porter et al. have taught a computer system as claimed in claim 8, as described above, and further comprising a second decoupling element, wherein memory instructions relating to movement of data between the buffer memory and the memory are passed to the buffer memory from the first processor through the second decoupling element (Figure 1, element 48), such that the buffer memory consumes instructions derived from the first processor through the second decoupling element, whereby the processing of memory instructions by the buffer memory is decoupled from the operation of the first processor (column 4, lines 31-33).
    - Referring to claim 12, Porter et al. have taught a computer system as claimed in claim 10, as described above, and wherein he second decoupling element is a state machine (Figure 1, 16. element 48), wherein information to provide memory instructions to the buffer memory is provided to the state machine by the first processor, and memory instructions are provided in an ordered sequence to the buffer memory by the state machine (column 3, line 60-column 5, line
      - Referring to claim 13, Porter et al. have taught a computer system as claimed in claim 10, 7). as described above, and wherein the second decoupling element is a fourth processor (Figure 1, 17. element 48), wherein information to provide memory instructions to the buffer memory is

Art Unit: 2183

provided to the fourth processor by the first processor, and memory instructions are provided in an ordered sequence to the buffer memory by the fourth processor (column 3, line 60-column 5, line 7).

- 18. Referring to claim 14, Porter et al. have taught a computer system as claimed in claim 8, as described above, and further comprising a synchronisation mechanism to synchronise transfer of data between the buffer memory and the memory with execution of instructions by the second processor (abstract, column 5, lines 47-57).
- 19. Referring to claim 15, Porter et al. have taught a computer system as claimed in claim 14, as described above, and wherein the synchronisation mechanism is adapted to block execution of instructions by the second processor on data which has not yet been loaded to the buffer memory from the memory, and is adapted to block execution memory instructions for storage of data from the buffer memory to the memory where relevant instructions have not yet been executed by the second processor (column 5, lines 30-41).
- 20. Referring to claim 17. Porter et al. have taught a computer system as claimed in claim 1, as described above, and wherein the first processor is the central processing unit of a computer device (Figure 1, host, column 4, lines 31-66).
- 21. Referring to claim 18, Porter et al. have taught a method of operating a computer system, comprising:
  - a. providing code for execution by a first processor and a second processor acting as coprocessor to the first processor (Figure 1, column 4, lines 31-66);
  - b. identification of a part of the code as providing a task to be carried out by the second processor (column 2, lines 1-16);

Art Unit: 2183

- c. passing information defining the task from the first processor to a decoupling element (Column 3, lines 35-44, column 3, line 6-column 4, line 30, Instructions are passed from the host to the master processing unit.);
- d. passing instructions derived from said information from the decoupling element to the second processor and executing said instructions on the second processor, wherein the processing of said instructions by the second processor is decoupled from the operation of the first processor (Figure 1, Column 5, lines 8-47, Instructions are passed to element 36.).

# Claim Rejections - 35 USC § 103

- 22. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 23. Claims 2 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Porter et al., US Patent 4,589,067, cited as a prior art reference in paper number 6, filed on May 9, 2001, in view of Stoney, US Patent 6,237,079.
- 24. Referring to claim 2, Porter et al. have taught a computer system as claimed in claim 1, as described above. Porter et al. have not specifically taught wherein the decoupling element is a coprocessor instruction queue, wherein instructions are added to the coprocessor instruction queue by the first processor and consumed from the coprocessor instruction queue by the coprocessor. However, Stoney has taught a decoupling element that is a coprocessor instruction queue (Figure 6, element 1022), wherein instructions are added to the coprocessor instruction

Art Unit: 2183

queue by the first processor and consumed from the coprocessor instruction queue by the coprocessor (column 13, lines 32-65) for the desirable purpose of allowing a first processor to continue operating without waiting on the coprocessor. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the computer system of Porter et al. include the claimed instruction queue, as taught by Stoney, for the desirable purpose of allowing the first processor to continue executing without waiting for the coprocessor to be ready (column 13, lines 32-65).

- 25. Referring to claim 11, Porter et al. have taught the computer system as claimed in claim 10, as described above. Porter et al. have not specifically taught wherein the second decoupling element is a buffer memory instruction queue, wherein memory instructions are added to the buffer memory instruction queue by the first processor and consumed from the buffer memory instruction queue by the buffer memory. However, Stoney has taught a decoupling element that is a buffer memory instruction queue (Figure 6, element 1022), wherein memory instructions are added to the buffer memory instruction queue by the first processor and consumed from the buffer memory instruction queue (column 13, lines 32-65) for the desirable purpose of allowing a first processor to continue operating without waiting on the coprocessor. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the computer system of Porter et al., include the claimed buffer memory instruction queue as taught by Stoney, for the desirable purpose of allowing a first processor to continue operating without waiting on the coprocessor (column 13, lines 32-65).
- 26. Claims 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Porter et al., US Patent 4,589,067, cited as a prior art reference in paper number 6, filed on May 9, 2001, in view

Art Unit: 2183

of Hennessy, <u>Computer Architecture A Quantative Approach</u>, <u>Second Edition</u>, Morgan Kaufman Publishers, Inc., 1996.

27. Referring to claim 16, Porter et al. have taught a computer system as claimed in claim 15, as described above. Porter et al. have not specifically taught that the computer system is adapted such that when execution of instructions or memory instructions is blocked by the synchronisation mechanism, other instructions or memory instructions which are not blocked by the synchronisation mechanism may be carried out. However, dynamic scheduling whereby instructions can be stalled or bypassed by other instructions is a well known concept in the art, as taught by Hennessy (pages 242-251), for the desirable purpose of increasing instruction execution time. It would have been obvious to one of ordinary skill in the art at the time the invention was made to have the computer system of Porter et al., adapt such that when execution of instructions or memory instructions is blocked by the synchronisation mechanism, other instructions or memory instructions which are not blocked by the synchronisation mechanism may be carried out, as taught by Hennessy, for the desirable purpose of increasing instruction throughput (Hennessy, pages 242-251).

#### Conclusion

- 28. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tonia L Meonske whose telephone number is (703) 305-3993. The examiner can normally be reached on Monday-Friday, 8-4:30.
- 29. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie P Chan can be reached on (703) 305-9712. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Page 10

Application/Control Number: 09/762,981

Art Unit: 2183

30. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

tlm

RICHARD L. ELLIS PRIMARY EXAMINER